

Contents of Volume 19 · 2005

- Abadia A → Corcuera L
Abdoun F, Jull AJT, Guibal F, Thion M:
Radial growth of the Sahara's oldest
trees: *Cupressus dupreziana* A. Camus
661
Adams MA → Tausz M
Afzal-Rafii Z → Bojovic S
Alarcón JJ → Nicolas E
Almérás T, Thibaut A, Gril J: Effect of
circumferential heterogeneity of wood
maturation strain, modulus of elasticity
and radial growth on the regulation of
stem orientation in trees 457
Ammer Ch, Wagner S: An approach for
modelling the mean fine-root biomass of
Norway spruce stands 145
Andrade JL, Meinzer FC, Goldstein G,
Schnitzer SA: Water uptake and transport
in lianas and co-occurring trees of a
seasonally dry tropical forest 282
Angelone S → Holderegger R
Aphalo PJ → Möttönen M
Apple M → Olszyk D
- Badia MA → Wernsdörfer H
Bagniewska-Zadworna A → Zenkter L
Ball MC → Choat B
Barazani O → Yakubov B
Barbero M → Bojovic S
BassiriRad H → Saha S
Bazzaz FA → He J-S
Benson-Scott A → Olszyk D
Berthier S → Tamasi E
Bhat KM, Thulasidas PK, Maria Florence
EJ, Jayaraman K: Wood durability of
home-garden teak against brown-rot and
white-rot fungi 654
Bojovic S, Jurc M, Drazic D, Pavlovic P,
Mitrovic M, Djurdjevic L, Dodd RS,
Afzal-Rafii Z, Barbero M: Origin
identification of *Pinus nigra* populations
in southwestern Europe using terpene
composition variations 531
Brites D, Valladares F: Implications of
opposite phyllotaxis for light interception
efficiency of Mediterranean woody plants
671
Brodbeck S → Holderegger R
Brodrribb TJ, Holbrook NM: Leaf
physiology does not predict leaf habit;
examples from tropical dry forest
290
Bréda N → Lebourgeois F
Bucci SJ, Goldstein G, Meinzer FC, Franco
AC, Campanello P, Scholz FG:
Mechanisms contributing to seasonal
homeostasis of minimum leaf water
potential and predawn disequilibrium
between soil and plant water potential in
Neotropical savanna trees 296
Buckner E → Olszyk D
Bustamante M → Franco AC
- Caldas LS → Franco AC
Calfapietra C → Luo Z-B
Campanello P → Bucci SJ
Cescatti A → Niinemets Ü
Chiatante D → Tamasi E
Choat B, Ball MC, Lully JG, Holtum JAM:
Hydraulic architecture of deciduous and
evergreen dry rainforest tree species from
north-eastern Australia 305
Christian R: Interactive effects of salinity
and irradiance on photoprotection in
acclimated seedlings of two sympatric
mangroves 596
Constant T → Wernsdörfer H
Coradin VTR → Franco AC
Corcuera L, Morales F, Abadia A,
Gil-Pelegrin E: The effect of low
temperatures on the photosynthetic
apparatus of *Quercus ilex* subsp. *ballota*
at its lower and upper altitudinal limits in
the Iberian peninsula and during a single
freezing-thawing cycle 99
Csencsics D → Holderegger R
- da Silveira Lobo Sternberg L → Ewe SML
Danjon F → Tamasi E
de Mattos EA → Franco AC
de Mattos EA → Geßler A
de Mattos EA → Geßler A
Dell'Amico J → Nicolas E
Deslauriers A, Morin H: Intra-annual
tracheid production in balsam fir stems
and the effect of meteorological variables
402
Díaz M, Granadillo E: The significance of
episodic rains for reproductive phenology
and productivity of trees in semiarid
regions of northwestern Venezuela 336
Ding L → Liu MZ
Djurdjevic L → Bojovic S
Dodd RS → Bojovic S
Donaldson L, Xu P: Microfibril orientation
across the secondary cell wall of *Radiata*
pine tracheids 644
Downes GM → Watt MS
Drazic D → Bojovic S
Dreyer E → Froux F
Duarte HM → Franco AC
Duarte HM → Geßler A
Duarte HM → Scarano FR
Ducrey M → Froux F
- Elisabeth Nagy N, Franceschi VR, Kvaalen
H, Solheim H: Callus cultures and bark
from Norway spruce clones show similar
cellular features and relative resistance to
fungal pathogens 694
Engelbrecht BMJ, Kursar TA, Tyree MT:
Drought effects on seedling survival in a
tropical moist forest 312
Ewe SML, da Silveira Lobo Sternberg L:
Growth and gas exchange responses of
- Brazilian pepper (*Schinus
terebinthifolius*) and native South Florida
species to salinity 119
- Fan S → Grossnickle SC
Finkeldey R → Holderegger R
Fourcaud T → Tamasi E
Franceschi VR → Elisabeth Nagy N
Franco AC → Bucci SJ
Franco AC → Geßler A
Franco AC → Holbrook NM
Franco AC → Scarano FR
Franco AC, Bustamante M, Caldas LS,
Goldstein G, Meinzer FC, Kozovits AR,
Rundel P, Coradin VTR: Leaf functional
traits of Neotropical savanna trees in
relation to seasonal water deficit
326
Franco AC, Duarte HM, Geßler A, de
Mattos EA, Nahm M, Rennenberg H,
Ribeiro KT, Scarano FR, Lüttge U: In
situ measurements of carbon and
nitrogen distribution and composition,
photochemical efficiency and stable
isotope ratios in *Araucaria angustifolia*
422
Franiel I, Więski K: Leaf features of silver
birch (*Betula pendula* Roth). Variability
within and between two populations
(uncontaminated vs Pb-contaminated and
Zn-contaminated site) 81
Froux F, Ducrey M, Dreyer E, Huc R:
Vulnerability to embolism differs in roots
and shoots and among three
Mediterranean conifers: consequences
for stomatal regulation of water loss?
137
Fujita M → Ogata Y
- Gao LM → Liu MZ
Gartner B → Olszyk D
Geßler A → Franco AC
Geßler A → Scarano FR
Geßler A, Duarte HM, Franco AC, Lüttge
U, de Mattos EA, Nahm M, Rodrigues
PJFP, Scarano FR, Rennenberg H:
Ecophysiology of selected tree species in
different plant communities at the
periphery of the Atlantic Forest of
SE—Brazil III. Three legume trees in a
semi-deciduous dry forest 523
Geßler A, Duarte HM, Franco AC, Lüttge
U, de Mattos EA, Nahm M, Scarano FR,
Zaluar HLT, Rennenberg H:
Ecophysiology of selected tree species in
different plant communities at the
periphery of the Atlantic Forest of
SE-Brazil II. Spatial and ontogenetic
dynamics in *Andira legalis*, a deciduous
legume tree 510
Gieger T, Thomas FM: Differential
response of two Central-European oak

- species to single and combined stress factors 607
- Gil L → Mutke S
- Gil-Pelegrin E → Corcuera L
- Golan-Goldhirsh A → Yakubov B
- Goldstein G → Andrade JL
- Goldstein G → Bucci SJ
- Goldstein G → Franco AC
- Grace JC → Watt MS
- Granadillo E → Diaz M
- Granier A → Lebourgeois F
- Gril J → Almérás T
- Grossnickle SC, Fan S, Russell JH: Variation in gas exchange and water use efficiency patterns among populations of western redcedar 32
- Gugerli F → Holderegger R
- Guibal F → Abdoun F
- Guiot J → Rathgeber CBK
- Guy RD → Pritchard ES
- Hagen-Thorn A, Stjernquist I: Micronutrient levels in some temperate European tree species: a comparative field study 572
- Hagihara A → Khan MNI
- Häkkinen R → Partanen J
- Hänninen H → Partanen J
- Hasegawa SF, Takeda H: Behavior of current-year shoots as a mechanism to determine the floral sex allocation at the level of individual tree and population in Siberian alder (*Alnus hirsuta* var. *sibirica*) 26
- He J-S, Zhang Q-B, Bazzaz FA: Differential drought responses between saplings and adult trees in four co-occurring species of New England 442
- Heijari J, Nerg A-M, Kaakinen S, Vapaavuori E, Raitio H, Levula T, Viitanen H, Holopainen JK, Kainulainen P: Resistance of Scots pine wood to Brown-rot fungi after long-term forest fertilization 728
- Helander M → Valkama E
- Hoebee SE → Holderegger R
- Holbrook NM → Brodribb TJ
- Holbrook NM, Franco AC: From wet to dry: tropical trees in relation to water availability 280
- Holderegger R, Angelone S, Brodbeck S, Csencsics D, Gugerli F, Hoebee SE, Finkeldey R: Application of genetic markers to the discrimination of European Black Poplar (*Populus nigra*) from American Black Poplar (*P. deltoides*) and Hybrid Poplars (*P. x canadensis*) in Switzerland 742
- Holopainen JK → Heijari J
- Holtum JAM → Choat B
- Holtum JAM, Winter K: Carbon isotope composition of canopy leaves in a tropical forest in Panama throughout a seasonal cycle 545
- Huc R → Froux F
- Hölscher D, Koch O, Korn S, Leuschner Ch: Sap flux of five co-occurring tree species in a temperate broad-leaved forest during seasonal soil drought 628
- Ichie T, Kenzo T, Kitahashi Y, Koike T, Nakashizuka T: How does *Dryobalanops aromatica* supply carbohydrate resources for reproduction in a masting year? 703
- Jaramillo VJ → Rentería LY
- Jayaraman K → Bhat KM
- Jeżowski S → Zenktele M
- Jiang GM → Liu MZ
- Johnson MG → Tingey DT
- Jomura M → Osawa A
- Jørgensen FV → Rasmussen HN
- Joseph G → Saha S
- Jull AJT → Abdoun F
- Jurc M → Bojovic S
- Kaakinen S → Heijari J
- Kainulainen P → Heijari J
- Kamińska-Rożek E → Pukacki PM
- Kanazawa Y → Osawa A
- Katharina Heinke S → Schuele S
- Kenzo T → Ichie T
- Khan MNI, Suwa R, Hagihara A: Allometric relationships for estimating the aboveground phytomass and leaf area of mangrove *Kandelia candel* (L.) Druce trees in the Manko Wetland, Okinawa Island, Japan 266
- Kitahashi Y → Ichie T
- Koch O → Hölscher D
- Kodaira J → Matsuzaki J
- Koike T → Ichie T
- Koricheva J → Valkama E
- Korn S → Hölscher D
- Kozovits AR → Franco AC
- Kurachi N → Osawa A
- Kursar TA → Engelbrecht BMJ
- Kusumoto D: Concentrations of lignin and wall-bound ferulic acid after wounding in the phloem of *Chamaecyparis obtusa* 451
- Kvaalen H → Elisabeth Nagy N
- Lasserre B → Tamasi E
- Langenfeld-Heysen R → Luo Z-B
- Lebourgeois F, Bréda N, Ulrich E, Granier A: Climate-tree-growth relationships of European beech (*Fagus sylvatica* L.) in the French Permanent Plot Network (RENECOFOR) 385
- Lehto T → Möttönen M
- Leuschner Ch → Hölscher D
- Levula T → Heijari J
- Li YG → Liu MZ
- Lindgren D → Tigabu M
- Liu MZ, Jiang GM, Li YG, Niu SL, Gao LM, Ding L, Peng Y: Leaf osmotic potentials of 104 plant species in relation to habitats and plant functional types in Hunshandak Sandland, Inner Mongolia, China 231
- Luly JG → Choat B
- Luo Z-B, Langenfeld-Heysen R, Calfapietra C, Polle A: Influence of free air CO₂ enrichment (EUROFACE) and nitrogen fertilisation on the anatomy of juvenile wood of three poplar species after coppicing 109
- Léchaudel M → Urban L
- Lüttge U → Franco AC
- Lüttge U → Geßler A
- Lüttge U → Scarano FR
- Ma K → Wang T
- Maguire DA → Moore JR
- Manetas Y, Pfanz H: Spatial heterogeneity of light penetration through periderm and lenticels and concomitant patchy acclimation of cortical photosynthesis 409
- Maria Florence EJ → Bhat KM
- Martínez-Yrizar A → Rentería LY
- Mason EG → Watt MS
- Matsuura Y → Osawa A
- Matsuzaki J, Norisada M, Kodaira J, Suzuki M, Tange T: Shoots grafted into the upper crowns of tall Japanese cedar (*Cryptomeria japonica* D. Don) show foliar gas exchange characteristics similar to those of intact shoots 198
- McGuire MA → Teskey RO
- McKinlay B → Watt MS
- Medina E → Suárez N
- Mckuinlay R → Watt MS
- Meinzer FC → Andrade JL
- Meinzer FC → Bucci SJ
- Meinzer FC → Franco AC
- Michel D → Fabienne F
- Mission L → Rathgeber CBK
- Mitrovic M → Bojovic S
- Moore JR → Watt MS
- Moore JR, Maguire DA: Natural sway frequencies and damping ratios of trees: influence of crown structure 363
- Morales F → Corcuera L
- Morin H → Deslauriers A
- Mothe F → Wernsdorfer H
- Möttönen M, Lehto T, Rita H, Aphalo PJ: Recovery of Norway spruce (*Picea abies*) seedlings from repeated drought as affected by boron nutrition 213
- Mulkey SS → Santiago LS
- Mutke S, Sievänen R, Nikinmaa E, Perttunen J, Gil L: Crown architecture of grafted Stone pine (*Pinus pinea* L.): shoot growth and bud differentiation 15
- Muukkonen P: Needle biomass turnover rates of Scots pine (*Pinus sylvestris* L.) derived from the needle-shed dynamics 273
- Nahm M → Franco AC
- Nahm M → Geßler A
- Nahm M → Scarano FR

- Nakashizuka T → Ichie T
 Nepveu G → Wernsdörfer H
 Nerg AM → Heijari J
 Nicault A → Rathgeber CBK
 Nicolas E, Torrecillas A, Dell'Amico J, Alarcón JJ: The effect of short-term flooding on the sap flow, gas exchange and hydraulic conductivity of young apricot trees 51
 Nielsen CN → Rasmussen HN
 Nikinmaa E → Mutke S
 Niu SL → Liu MZ
 Niinemets Ü, Sparrow A, Cescatti A: Light capture efficiency decreases with increasing tree age and size in the southern hemisphere gymnosperm *Agathis australis* 177
 Norisada M → Matsuzaki J
- Oden PC → Tigabu M
 Ogata Y, Fujita M: New anatomical method of grain angles measurement using confocal microscopy and image cross-correlation 73
 Olszyk D, Apple M, Gartner B, Spicer R, Wise C, Buckner E, Benson-Scott A, Tingey D: Xeromorphy increases in shoots of *Pseudotsuga menziesii* (Mirb.) Franco seedlings with exposure to elevated temperature but not elevated CO₂ 552
 Osada N → Tateno R
 Osawa A, Kurachi N, Matsuura Y, Jomura M, Kanazawa Y, Sanada M: Testing a method for reconstructing structural development of even-aged *Abies sachalinensis* stands 680
- Partanen J, Hänninen H, Häkkinen R: Bud burst in Norway spruce (*Picea abies*): preliminary evidence for age-specific rest patterns 66
 Pavlovic P → Bojovic S
 Peng Y → Liu MZ
 Pérez-Jiménez A → Rentería LY
 Peters RF → Pohio KE
 Peñuelas J → Sardans J
 Pettunen J → Mutke S
 Pfnanz H → Manetas Y
 Phillips DL → Tingey DT
 Pihlaja K → Valkama E
 Pohio KE, Wallace HM, Peters RF, Smith TE, Trueman SJ: Cuttings of Wollemi pine tolerate moderate photoinhibition and remain highly capable of root formation 587
 Polle A → Luo Z-B
 Pritchard ES, Guy RD: Nitrogen isotope discrimination in white spruce fed with low concentrations of ammonium and nitrate 89
 Pukacki PM, Kamińska-Rożek E: Effect of drought stress on chlorophyll *a* fluorescence and electrical admittance of shoots in Norway spruce seedlings 539
- Rita H → Möttönen M
 Raitio H → Heijari J
 Rasmussen HN, Nielsen CN, Jørgensen FV: Crown architecture and dynamics in *Abies procera* as influenced by cutting for greenery 619
 Rathgeber CBK, Mission L, Nicault A, Guiot J: Bioclimatic model of tree radial growth: application to the French Mediterranean Aleppo pine forests 162
 Ren H → Wang T
 Rennenberg H → Franco AC
 Rennenberg H → Geßler A
 Rennenberg H → van der Zalm E
 Rentería LY, Jaramillo VJ, Martínez-Yrizar A, Pérez-Jiménez A: Nitrogen and phosphorus resorption in trees of a Mexican tropical dry forest 431
 Ribeiro KT → Franco AC
 Richardson B → Watt MS
 Rodà F → Sardans J
 Rodrigues PJFP → Geßler A
 Roland H → Fabienne F
 Rosemarie L-H → Luo Z-B
 Roth-Nebelsick A: Reconstructing atmospheric carbon dioxide with stomata: possibilities and limitations of a botanical pCO₂-sensor 251
 Rowland LJ → Yakubov B
 Rundel P → Franco AC
 Russell JH → Grossnickle SC
- Saha S, BassiriRad H, Joseph G: Phenology and water relations of tree sprouts and seedlings in a tropical deciduous forest of South India 322
 Saikkonen K → Valkama E
 Salminen J-P → Valkama E
 Saloniemi I → Valkama E
 Sanada M → Osawa A
 Santiago LS, Mulkey SS: Leaf productivity along a precipitation gradient in lowland Panama: patterns from leaf to ecosystem 349
 Sardans J, Peñuelas J, Rodà F: Changes in nutrient use efficiency, status and retranslocation in young post-fire regeneration *Pinus halepensis* in response to sudden N and P input, irrigation and removal of competing vegetation 233
 Scarano FR → Franco AC
 Scarano FR → Geßler A
 Scarano FR, Duarte HM, Franco AC, Geßler A, de Mattos EA, Nahm M, Rennenberg H, Zaluar HLT, Lüttge U: Ecophysiology of selected tree species in different plant communities at the periphery of the Atlantic Forest of SE Brazil I. Performance of three different species of *Clusia* in an array of plant communities 497
 Scarano FR, Duarte HM, Franco AC, Geßler A, de Mattos EA, Rennenberg H, Lüttge U: Physiological synecology of tree species in relation to geographic distribution and ecophysiological parameters at the Atlantic forest periphery in Brazil: an overview 493
- Schlünzen KH → Schueler S
 Schneider A → van der Zalm E
 Schnitzer SA → Andrade JL
 Scholz FG → Schueler S
 Scholz FG → Bucci SJ
 Schueler S, Schlünzen KH, Scholz F: Viability and sunlight sensitivity of oak pollen and its implications for pollen-mediated gene flow 154
 Seeling U → Wernsdörfer H
 Shachack A → Yakubov B
 Shoseyov O → Yakubov B
 Sievänen R → Mutke S
 Smith TE → Pohio KE
 Solheim H → Elisabeth Nagy N
 Sparrow A → Niinemets Ü
 Spicer R → Olszyk D
 Stjernquist I → Hagen-Thorn A
 Stokes A → Tamasi E
 Suárez N, Medina E: Salinity effect on plant growth and leaf demography of the mangrove, *Avicennia germinans* L. 721
 Sun OJ → Xiao C-W
 Suwa R → Khan MNI
 Suzuki M → Matsuzaki J
- Takeda H → Tateno R
 Takeda H → Hasegawa SF
 Tange T → Matsuzaki J
 Tamasi E, Stokes A, Lasserre B, Danjon F, Berthier S, Fourcaud T, Chiatante D: Influence of wind loading on root system development and architecture in oak (*Quercus robur* L.) seedlings 374
 Tateno R, Osada N, Terai M, Tokuchi N, Takeda H: Inorganic nitrogen source utilization by *Fagus crenata* on different soil types 477
 Tausz M, Warren CR, Adams MA: Is the bark of shining gum (*Eucalyptus nitens*) a sun or a shade leaf? 415
 Terai M → Tateno R
 Teskey RO, McGuire MA: CO₂ transported in xylem sap affects CO₂ efflux from *Liquidambar styraciflua* and *Platanus occidentalis* stems, and contributes to observed wound respiration phenomena 357
 Thibaut A → Alméras T
 Thinon M → Abdoun F
 Thomas FM → Gieger T
 Thulasidas PK → Bhat KM
 Tigabu M, Oden PC, Lindgren D: Identification of seed sources and parents of *Pinus sylvestris* L. using visible–near infrared reflectance spectra and multivariate analysis 468
 Tingey D → Olszyk D
 Tingey DT, Johnson MG, Phillips DL: Independent and contrasting effects of

- elevated CO₂ and N-fertilization on root architecture in *Pinus ponderosa* 43
 Tokuchi N → Tateno R
 Torrecillas A → Nicolas E
 Trueman SJ → Pohio KE
 Tyree MT → Engelbrecht BMJ
- Ulrich E → Lebourgeois F
 Urban L, Léchaudel M: Effect of leaf-to-fruit ratio on leaf nitrogen content and net photosynthesis in girdled branches of *Mangifera indica* L. 564
- Valkama E, Koricheva J, Salminen J-P, Helander M, Saloniemi I, Saikkonen K, Pihlaja K: Leaf surface traits: overlooked determinants of birch resistance to herbivores and foliar micro-fungi? 191
 Valladares F → Brites D
 van der Zalm E, Schneider A, Rennenberg H: Regulation of sulfate uptake and xylem loading of poplar roots (*Populus tremula* x *P. alba*) 204
 Vapaavuori E → Heijari J
 Viitanen H → Heijari J
- Wagner S → Ammer Ch
 Wallace HM → Pohio KE
 Wang T, Ren H, Ma K: Climatic signals in tree ring of *Picea schrenkiana* along an altitudinal gradient in the central Tianshan Mountains, northwestern China 735
 Warren CR → Tausz M
 Watt MS, Downes GM, Whitehead D, Mason EG, Richardson B, Grace JC, Moore JR: Wood properties of juvenile *Pinus radiata* growing in the presence and absence of competing understorey vegetation at a dryland site 580
 Watt MS, Moore JR, McKinlay B: The influence of wind on branch characteristics of *Pinus radiata* 58
 Wernsdörfer H, Constant T, Mothe F, Badia MA, Nepveu G, Seeling U: Detailed analysis of the geometric relationship between external traits and the shape of red heartwood in beech trees (*Fagus sylvatica* L.) 482
 Whitehead David → Watt MS
 Więski K → Franiel I
 Will RE: The effects of annual fertilization and complete competition control on fascicle morphology of different aged loblolly pine stands 129
 Winter K → Holtum JAM
 Wise C → Olszyk D
 Wojciechowicz M → Zenkter M
- Wu G → Xiao C-W
 Xiao C-W, Sun OJ, Zhou G-S, Zhao J-Z, Wu G: Interactive effects of elevated CO₂ and drought stress on leaf water potential and growth in *Caragana intermedia* 711
 Xu P → Donaldson L
- Yakubov B, Barazani O, Shachack A, Rowland LJ, Shoseyov O, Golan-Goldhirsh A: Cloning and expression of a dehydrin-like protein from *Pistacia vera* L. 224
- Zaluar HLT → Geßer A
 Zaluar HLT → Scarano FR
 Zeide B: How to measure stand density 1
 Zenkter E → Zenkter M
 Zenkter M, Wojciechowicz M, Bagniewska-Zadworna A, Zenkter E, Jeżowski S: Intergeneric crossability studies on obtaining hybrids between *Salix viminalis* and four *Populus* species 638
 Zhang Q-B → He J-S
 Zhao J-Z → Xiao C-W
 Zhou G-S → Xiao C-W

Copyright Transfer Statement

The copyright to this article is transferred to Springer (respective to owner if other than Springer and for U.S. government employees: to the extent transferable) effective if and when the article is accepted for publication. The copyright transfer covers the exclusive right to reproduce and distribute the article, including reprints, translations, photographic reproductions, microform, electronic form (offline, online) or any other reproductions of similar nature.

An author may self-archive an author-created version of his/her article on his/her own website and his/her institution's repository, including his/her final version; however he/she may not use the publisher's PDF version which is posted on www.springerlink.com. Furthermore, the author may only post his/her version provided acknowledgement is given to the original source of publication and a link is inserted to the published article on Springer's website. The link must be accompanied by the following text: "The original publication is available at www.springerlink.com".

Please use the appropriate DOI for the article (go to the Linking Options in the article, then to OpenURL and use the link with the DOI). Articles disseminated via www.springerlink.com are indexed, abstracted, and referenced by many abstracting and information services, bibliographic networks, subscription agencies, library networks, and consortia.

The author warrants that this contribution is original and that he/she has full power to make this grant. The author signs for and accepts responsibility for releasing this material on behalf of any and all co-authors.

After submission of this agreement signed by the corresponding author, changes of authorship or in the order of the authors listed will not be accepted by Springer.

Journal

Title of article

Author(s)

Author's signature

Date